AUTHOR INDEX
1978, Volume 12

A

ABELMANN, W. H. *See* PINE, M. B., *et al*

ADAMS, F. H. *See* RIEMENSCHNEIDER, T. A., *et al*

ADOLFSSON, J. *See* TORNLING, G., *et al*

AKIYAMA, T., RICHESON, J. F., INGRAM, J. T., and ORAVEC, J. Effects of varying the electrical conductivity of the medium between the hearts and the body surface on the epicardial and praecordial electrocardiogram in the pig, 697

ALBERTINI, R. *See* BACCELLI, G., *et al*

ALLISON, T. B., RAMEY, C. A., and HOLSINGER, J. W. Effects of labile metabolites of temporal delay in freezing biopsy samples of dog myocardium in liquid nitrogen, 162

AMLIE, J. P. A study of the labetalol-induced changes in conductivity and refractoriness of the dog heart *in situ*, 646

—— REFSUM, H., and LANDMARK, K. Acebutolol-induced changes in refractoriness and monophasic action potential of the right ventricle of the dog heart *in situ*, 493

ARCHIE, J. P. Transmural distribution of intrinsic and transmitted left ventricular diastolic intramyocardial pressure in dogs, 255

ARDELT, B. BRONISZEWSKA-, *See* BRONISZEWSKA-ARDELT, B.

AVGOUSTAKIS, D. *See* TIMOGIANNAKIS, G., *et al*

AZUMA, T., OHHASHI, T., and SAKAGUCHI, M. Vibration-induced hyperresponsiveness of arterial smooth muscle to noradrenaline with special reference to Raynaud's phenomenon in vibration disease, 758

B

BACCELLI, G., ALBERTINI, R., MANCIA, G., and ZANCHETTI, A. Control of regional circulation by the sino-aortic reflexes during desynchronised sleep in the cat, 523

BAIN, W. H. *See* TAYLOR, K. M., *et al*

BALCON, R. *See* RUSSELL, D. C., and BALCON, R.

BEASTALL, G. H. *See* TAYLOR, K. M., *et al*

BELLONI, F. L. *See* SMITH, R. E., *et al*

BENIS, A. M. *See* FISCHER, A. P., *et al*

BENNETT, M. J. *See* CLARKE, T. N. S., *et al*

BERRY, C. L. *See* GREENWALD, S. E., and BERRY, C. L.

BEVAN, J. A. *See* HUME, W. R., and BEVAN, J. A.

BING, O. H. L. *See* PINE, M. B., *et al*

BIRCH, M. *See* ROSENTHAL, T., *et al*

BIRO, G. *See* CLARKE, T. N. S., *et al*

BISSETT, J. K., DE SOYZA, N. D. B., KANE, J. J., MCCONNELL, J. R., and DOHERTY, J. E. Effect of digitalis on human ventricular refractoriness, 288

BITTAR, N. *See* KOKE, J. R., and BITTAR, N.

BOCCALON, H. J. L., CANDELON, B. J. L., DOLL, H. G., PUEL, P. F., and ENJALBERT, A. P. Non-invasive electromagnetic measurement of the peripheral pulsatile blood flow: experimental study and clinical applications, 66

BOUCEK, R. J., BOUCKOVA, B., and LEVY, S. Anatomical arrangement of muscle tissue in the anterior mitral leaflet in man, 675

BOUCKOVA, B. *See* BOUCEK, R. J., *et al*

BOWDEN, N. L. R. *See* GREENWALD, S. E., *et al*

BOWER, J. D. *See* KIRKENDOL, P. L., *et al*

BRAUNWALD, E. *See* RIBEIRO, L. G. T., *et al*

BREMNER, W. F. *See* TAYLOR, K. M., *et al*

BRICKNELL, O. *See* PODZUWEIT, T., *et al*

BRONISZEWSKA-ARDELT, B. *See* CEREMUZYNSKI, L., *et al*

BROOKS, W. W. *See* PINE, M. B., *et al*

BRORSON, L., WASIR, H., and SANNERSTEDT, R. Haemodynamic effects of static and dynamic exercise in males with arterial hypertension of varying severity, 269

BUJA, L. M. *See* HURLBUT, T. A., *et al*

BURKS, D. D. *See* HARRIS, T. R., *et al*

C

CALZADILLA, S. V. *See* REYNOLDS, R. D., *et al*

CAMERON, A. J. V. *See* REVIS, N. W., and CAMERON, A. J. V.

CANDELON, B. J. L. *See* BOCCALON, H. J. L., *et al*

CARLSSON, S. *See* TORNLING, G., *et al*

CASPARI, P. G., NEWCOMB, M., GIBSON, K., and HARRIS, P. Myocardial collagen, the effects of right ventricular hypertrophy and its involution induced by changes in atmospheric pressure, 173

CAVES, P. K. *See* TAYLOR, K. M., *et al*

CEDRO, A., and HERBACZYNSKA-CEDRO, K. Increased blood level of prostaglandin-like substances during cardiopulmonary bypass in the dog, 516

CEDRO, K. HERBACZYNSKA-, *See* HERBACZYNSKA-CEDRO, K.

CEREMUZYNSKI, L., HERBACZYNSKA-CEDRO, K., BRONISZEWSKA-ARDELT, B., NAUMAN, J., NAUMAN, A., WOZNIEWICZ, B., and LAWECKI, J. Evidence for the detrimental effect of adrenaline infused to healthy dogs in doses imitating spontaneous secretion after coronary occlusion, 179

CHAPPLE, D. J. *See* DUSTING, G. J., *et al*

CHARLIER, A. A. *See* POULEUR, H., *et al*

CHIARIELLO, M. *See* RENGO, F., *et al*

CHRISTENSEN, N. J. *See* HANSEN, J. F., *et al*

CHRISTIE, L. G. *See* NICHOLS, W. W., *et al*

CLARK, C. Relation between pressure difference across the aortic valve and left ventricular outflow, 276

CLARKE, D. R., and SMITH, P. Capillary density and muscle fibre size in the hearts of rats subjected to simulated high altitude, 578

CLARKE, T. N. S., PRYS-ROBERTS, C., BIRO, G., FOEX, P., and BENNETT, M. J. Aortic input impedance and left ventricular energetics in acute isovolumic anaemia, 49

COHEN, I. *See* NOBLE, D., and COHEN, I.

COHN, J. N. *See* FRANCIOSA, J. A., *et al*

COLBECK, J. F. *See* WELMAN, E., *et al*

CONTI, C. R. *See* NICHOLS, W. W., *et al*

CORR, P. B., HELKE, C. J., and GILLIS, R. A. Exacerbation of coronary occlusion induced ventricular arrhythmias by the vagolytic effect of procainamide, 486

COUROUKLIS, C. *See* TIMOGIANNAKIS, G., *et al*

CUSTER, P. L. *See* HARRIS, T. R., *et al*

D

DARIES, P. S. *See* LUBBE, W. F., *et al*

DAVIS, J. *See* WINLOVE, C. P., *et al*

DAVIS, M. A. *See* RADVANY, P., *et al*

DAVIS, M. A. *See* RIBEIRO, L. G. T., *et al*

DE SOYZA, N. D. B. *See* BISSETT, J. K., *et al*

De Leiris, J., and Opie, L. H. Effect of substrates and of coronary artery ligation on mechanical performance and on release of lactate dehydrogenase and creatine phosphokinase in isolated working rat hearts, 585
Delaye, J. *See* Vial, C., *et al*
Dengle, S. K. *See* Jett, G. K., *et al*
Dell, R. B. *See* Winlove, C. P., *et al*
Denier van der Gon, J. J. *See* Lindemans, F. W., and Denier van der Gon, J. J.
Der Werff, T. J. Van. *See* Van der Werff, T. J.
Desilva, R. A., Verrier, R. L., and Lown, B. Protective effect of the vagotonic action of morphine sulphate on ventricular vulnerability, 167
Doll, H. G. *See* Boccalon, H. J. L., *et al*
Doherty, J. E. *See* Bissett, J. K., *et al*
Domenech, R. J. Regional diastolic coronary blood flow during diastolic ventricular hypertension, 639
Donald, D. E., and Shepherd, J. T. Reflexes from the heart and lungs: physiological curiosities or important regulatory mechanisms, 449
Drake, A. J., Stubbs, J., and Noble, M. I. M. Dependence of myocardial blood flow and metabolism on cardiac innervation, 69
Dusting, G. J., Chapple, D. J., Hughes, R., Moncada, S., and Vane, J. R. Prostacyclin (PGI_2) induces coronary vasodilatation in anaesthetised dogs, 720

E

Eberhart, R. C. *See* Jett, G. K., *et al*
Elzinga, G. *See* Puls, H., and Elzinga, G.
Enjalbert, A. P. *See* Boccalon, H. J. L., *et al*
Epstein, S. E. *See* Smith, H. J., *et al*
Evans, C., Schreiber, S. S., Oratz, M., and Rothschild, M. A. Synthesis of myosin heavy and light chains in the afterloaded guinea pig right ventricle, 731
Eyll, C. van. *See* van Eyll, C.

F

Farnham, D. J. *See* Schreiner, B. F., *et al*
Fassold, E. *See* Nayler, W. G., *et al*
Fischer, A. P., Benis, A. M., Jurado, R. A., Seely, E., Teirstein, P., and Litwak, R. S. Analysis of errors in measurement of cardiac output by simultaneous dye and thermal dilution in cardiothoracic surgical patients, 190
Fleischmann, D. W., and Pop, T. Assessment of refractoriness of the human Purkinje system, 681
Foex, P. *See* Clarke, T. N. S., *et al*
Font, B. *See* Vial, C., *et al*
Fox, K. M. *See* Welman, E., *et al*
Franciosa, J. A., Notargiacomo, A. V., and Cohn, J. N. Comparative haemodynamic and metabolic effects of vasodilator and inotropic agents in experimental myocardial infarction, 294
Fruchard, J. *See* Merillon, J. P., *et al*

G

Gibson, K. *See* Caspari, P. G., *et al*
Gillis, R. A. *See* Corr, P. B., *et al*
Goldschmidt, D. *See* Vial, C., *et al*
Gon, Denier van der, J. J. *See* Denier van der Gon, J. J.
Gooden, B. A., Holdstock, G., and Hampton, J. R. The magnitude of the bradycardia induced by face immersion in patients convalescing from myocardial infarction, 239
Gourgon, R. *See* Merillon, J. P., *et al*
Grau, A. *See* Nayler, W. G., *et al*
Greenwald, S. E., and Berry, C. L. Static mechanical properties and chemical composition of the aorta of spontaneously hypertensive rats: a comparison with the effects of induced hypertension, 364
—— Newman, D. L., and Bowden, N. L. R. Comparison between theoretical and directly measured pulse propagation velocities in the aorta of the anaesthetised dog, 407
Gross, G. J. *See* Jesmok, G. J., *et al*

H

Haider, B. *See* Moschos, C. B., *et al*
Hampton, J. R. *See* Gooden, B. A., *et al*
Hansen, J. F., Christensen, N. J., and Hesse, B. Determinants of coronary sinus noradrenaline in patients with ischaemic heart disease: coronary sinus catecholamine concentration in relation to arterial catecholamine concentration, pulmonary artery oxygen saturation and left ventricular end-diastolic pressure, 415
Hardman, H. F. *See* Jesmok, G. J., *et al*
Harris, E. A. *See* McKinney, R. J., and Harris, E. A.
Harris, P. *See* Caspari, P. G., *et al*
Harris, T. R., Burks, D. D., and Custer, P. L. Coronary capillary permeability and tissue volumes for sucrose and water in dogs: a comparison of bolus and constant infusion multiple-indicator methods, 537
Helke, C. J. *See* Corr, P. B., *et al*
Heng, M. K., Norris, R. M., Peter, T., Nisbet, H. D., and Singh, B. N. The effects of glucose-insulin-potassium on experimental myocardial infarction in the dog, 429
Herbaczynska-Cedro, K. *See* Cedro, A., and Herbaczynska-Cedro, K. Ceremuzynski, *et al*
Hesse, B. *See* Hansen, J. F., *et al*
Hillis, L. D. *See* Ribeiro, L. G. T., *et al*
Holbert, R. D. *See* Kirkendol, P. L., *et al*
Holdstock, G. *See* Gooden, B. A., *et al*
Holsinger, J. W. *See* Allison, T. B., *et al*
Hughes, R. *See* Dusting, G. J., *et al*
Hume, W. R., and Bevan, J. A. Amino acid uptake in rabbit blood vessels two weeks after induction of hypertension by coarctation of the abdominal aorta, 106
Hurlbut, T. A., Scales, F., Buja, L. M., and Willerson, J. T. Use of chronically-implanted ultrasonic crystals in the intact heart of the cat: instruments and techniques, 387
Hurych, J. *See* Ostadal, B., *et al*
Huttner, I. *See* Mickleborough, L., *et al*

I

Ingram, J. T. *See* Akiyama, T., *et al*

J

Jaumin, P. M. *See* Pouleur, H., *et al*
Jesmok, G. J., Warltier, D. C., Gross, G. J., and Hardman, H. F. Transmural triglycerides in acute myocardial ischaemia, 659
Jett, G. K., Dengle, S. K., Platt, M. R., Eberhart, R. C., Willerson, J. T., and Watson, J. T. The influence of isosorbide dinitrate on regional myocardial blood flow during acute coronary occlusion in the dog, 497
Jurado, R. A. *See* Fischer, A. P., *et al*

K

KANE, J. J. *See* BISSETT, J. K., *et al*
KARLINER, J. S. *See* LEWINTER, M. M., *et al*
KAY, A. *See* PODZUWEIT, T., *et al*
KENNELLY, B. M., and LANE, G. K. Effect of ventricular extrasystoles on idioventricular rhythm in patients with heart block, 703
—— *See also* LANE, G. K., and KENNELLY, B. M.
KENT, K. M. *See* SMITH, H. J., *et al*
KHAN, Y. *See* MOSCHOS, C. B., *et al*
KIRKENDOL, P. L., PEARSON, J. E., BOWER, J. D., and HOLBERT, R. D. Myocardial depressant effects of sodium acetate, 127
KOERNER, J. E. *See* SPEAR, K. L., *et al*
KOKE, J. R., and BITTAR, N. Functional role of collateral flow in the ischaemic dog heart, 309
KRALIOS, F. A., and MILLAR, C. K. Functional development of cardiac sympathetic nerves in newborn dogs: evidence for asymmetrical development, 547
KREHER, P. Role of membrane permeabilities (calcium, chloride, and potassium) in the genesis of the notch observed on simian and prosimian cardiac action potentials, 507

L

LAB, M. J., and WOOLLARD, K. V. Monophasic action potentials, electrocardiograms and mechanical performance in normal and ischaemic epicardial segments of the pig ventricle *in situ:* instruments and techniques, 555
LANDMARK, J. *See* AMLIE, J. P., *et al*
LANE, G. K., and KENNELLY, B. M. Ventricular overdrive suppression of idioventricular rhythm in patients with complete heart block, 712
—— *See also* KENNELLY, B. M., and LANE, G. K.
LAWECKI, J. *See* CEREMUZYNSKI, L., *et al*
LEE, R. J. *See* REYNOLDS, R. D., *et al*
LEFEVRE, J. *See* POULEUR, H., *et al*
LEIRIS, J. DE. *See* DE LEIRIS, J.
LEVY, S. *See* BOUCEK, R. J., *et al*
LEWINTER, M. M., KARLINER, J. S., and O'ROURKE, R. A. Effects of oral equiblocking doses of a cardioselective and noncardioselective β-adrenergic blocking agent on left ventricular function in the normal conscious dog, 81
LINDEMANS, F. W., and DENIER VAN DER GON, J. J. Current thresholds and liminal size in excitation of heart muscle, 477
LITWAK, R. S. *See* FISCHER, A. P., *et al*
LJUNGQVIST, A. *See* TORNLING, G., *et al*
LOGAN, D. C. *See* SCHREINER, B. F., *et al*
LOUIE, E. K. *See* RIBEIRO, L. G. T., *et al*
LOWN, B. *See* DESILVA, R. A., *et al*
LUBBE, W. F., DARIES, P. S., and OPIE, L. H. Ventricular arrhythmias associated with coronary artery occlusion and reperfusion in the isolated perfused rat heart: a model for assessment of antifibrillatory action of antiarrhythmic agents, 212
LUNDGREN, Y. *See* WEISS, L., and LUNDGREN, Y
LYONS, M. M. *See* MOSCHOS, C. B., *et al*

M

MCCALL, D. Responses of cultured heart cells to procainamide and lignocaine, 529
MCCONNELL, J. R. *See* BISSETT, J. K., *et al*
MCKINNEY, R. J., and HARRIS, E. A. Evaluation of the OSM2 hemoximeter: instruments and techniques, 630
MAGRINI, F. Haemodynamic determinants of the arterial blood pressure rise during growth in conscious puppies, 422
MANCIA, G. *See* BACCELLI, G., *et al*
MANDEL, W. J. *See* YAMAGUCHI, I., *et al*
MAROKO, P. R. *See* RADVANY, P., *et al*
RIBEIRO, L. G. T., *et al*
MASQUET, C. *See* MERILLON, J. P., *et al*
MERILLON, J. P., MOTTE, G., FRUCHAUD, J., MASQUET, C., and GOURGON, R. Evaluation of the elasticity and characteristic impedance of the ascending aorta in man, 401
MERLE, H. *See* SCHLEPPER, M., *et al*
MICKLEBOROUGH, L., HUTTNER, I., SYMES, J., POIRIER, N., and SNIDERMAN, A. D. Significance of epicardial Q waves as an acute marker of myocardial necrosis in dogs, 376
MILLAR, C. K. *See* KRALIOS, F. A., and MILLAR, C. K.
MILLAR, H. D. *See* NICHOLS, W. W., *et al*
MIREJOVSKA, E. *See* OSTADAL, B., *et al*
MITCHELL, D. *See* MITCHELL, G., *et al*
MITCHELL, G., MITCHELL, D., and ROSENDORFF, C. Vasodilator mechanism of the intracerebral (non-sympathetic) adrenergic pathway, 42
MONCADA, S. *See* DUSTING, G. J., *et al*
MOSCHOS, C. B., HAIDER, B., KHAN, Y., LYONS, M. M., and REGAN, T. J. Relation of platelets to catecholamine induced myocardial injury, 243
MOTTE, G. *See* MERILLON, J. P., *et al*
MULLER, J. E. *See* RADVANY, P., *et al*

N

NAKAMURA, M. *See* TAKESHITA, A., *et al*
NAUMAN, A. *See* CEREMUZYNSKI, L., *et al*
NAUMAN, J. *See* CEREMUZYNSKI, L., *et al*
NAYLER, W. G., FASSOLD, E., and YEPEZ, C. Pharmacological protection of mitochondrial function in hypoxic heart muscle: effect of verapamil, propranolol, and methylprednisolone, 152
NAYLER, W. G., YEPEZ, C., GRAU, A., and SLADE, A. Protective effect of methylprednisolone sodium succinate on the ultrastructure and resting tension of hypoxic heart muscle, 91
—— YEPEZ, C. E., and POOLE-WILSON, P. A. The effect of β-adrenoceptor and Ca^{2+} antagonist drugs on the hypoxia-induced increase in resting tension, 666
NEUGEBAUER, G. Comparative cardiovascular actions of verapamil and its major metabolites in the anaesthetised dog, 247
NEWCOMB, M. *See* CASPARI, P. G., *et al*
NEWMAN, D. L. *See* GREENWALD, S. E., *et al*
NICHOLS, W. W., PEPINE, C. J., MILLAR, H. D., CHRISTIE, L. G., and CONTI, C. R. Percutaneous left ventricular catheterisation with an ultraminiature catheter-tip pressure transducer: instruments and techniques, 566
NISBET, H. D. *See* HENG, M. K., *et al*
NOBLE, D., and COHEN, I. The interpretation of the T wave of the electrocardiogram: special review article, 13
NOBLE, M. I. M. *See* DRAKE, A. J., *et al*
NORRIS, R. M. *See* HENG, M. K., *et al*
NOTARGIACOMO, A. V. *See* FRANCIOSA, J. A., *et al*

O

OBAYASHI, K. *See* YAMAGUCHI, I., *et al*
OHHASHI, T. *See* AZUMA, T., *et al*
ORATZ, M. *See* EVANS, C., *et al*
OLIVER, M. F. *See* RUSSELL, D. C., and OLIVER, M. F.
OPIE, L. H. *See* DE LEIRIS, J., and OPIE, L. H.

OPIE, L. H. *See* LUBBE, W. F., *et al*
O'ROURKE, R. A. *See* LEWINTER, M. M., *et al*
ORATZ, M. *See* SCHREIBER, S. S., *et al*
ORAVEC, J. *See* AKIYAMA, T., *et al*
OSIKOWSKA, B. *See* ROSENTHAL, T., *et al*
OSTADAL, B., MIREJOVSKA, E., HURYCH, J., PELOUGH, V., and PROCHAZKA, J. Effect of intermittent high altitude hypoxia on the synthesis of collagenous and non-collagenous proteins of the right and left ventricular myocardium, 303

P

PEARLMAN, A. S. *See* VIAL, C., *et al*
PEARSON, J. E. *See* KIRKENDOL, P. L., *et al*
PELOUGH, V. *See* OSTADAL, B., *et al*
PEPINE, C. J. *See* NICHOLS, W. W., *et al*
PETER, T. *See* HENG, M. K., *et al*
PETERS, T. J. *See* WELMAN, E., *et al*
PETROPOULOS, D. *See* TIMOGIANNAKIS, G., *et al*
PINE, M. B., BING, O. H. L., BROOKS, W. W., and ABELMANN, W. H. Changes in *in vitro* myocardial hydration and performance in response to transient metabolic blockade in hypertonic, isotonic, and hypotonic media, 569
PLATT, M. R. *See* JETT, G. K., *et al*
PODZUWEIT, T., VAN DER WERFF, T. J., BRICKNELL, O., and KAY, A. An automatic device for freeze-clamping of cardiac tissue within a fraction of the contraction cycle: Instruments and techniques, 322
POIRIER, N. *See* MICKLEBOROUGH, L., *et al*
POOLE-WILSON, P. A. *See* NAYLER, W. G., *et al*
POP, T. *See* FLEISCHMANN, D. W., and POP, T.
POULEUR, H., LEFEVRE, J., VAN EYLL, C., JAUMIN, P. M., and CHARLIER, A. A. Significance of pulmonary input impedance in right ventricular performance, 617
PROCHAZKA, J. *See* OSTADAL, B., *et al*
PRUETT, J. K. *See* WILKERSON, R. D., and PRUETT, J. K.
PRYS-ROBERTS, C. *See* CLARKE, T. N. S., *et al*
PUEL, P. F. *See* BOCCALON, H. J. L., *et al*
PULS, H., and ELZINGA, G. An analogue device for the measurement of cardiovascular variables: Instruments and techniques, 316

R

RADVANY, P., DAVIS, M. A., MULLER, J. E., and MAROKO, P. R. Effects of minoxidil on coronary collateral flow and acute myocardial injury following experimental coronary artery occlusion, 120
RAMEY, C. A. *See* ALLISON, T. B., *et al*
RASETTI, G. *See* RENGO, F., *et al*
REFF, F. *See* SCHREIBER, S. S., *et al*
REFSUM, H. *See* AMLIE, J. P., *et al*
REGAN, T. J. *See* MOSCHOS, C. B., *et al*
RENGO, F., TRIMARCO, B., CHIARIELLO, M., RICCIARDELLI, B., VOLPE, M., VIOLINI, R., and RASETTI, G. Histamine and hypoxic pulmonary hypertension. A quantitative study, 752
REVIS, N. W., and CAMERON, A. J. V. The relationship between fibrosis and lactate dehydrogenase isoenzymes in the experimental hypertrophic heart of rabbits, 348
REYNOLDS, R. D., CALZADILLA, S. V., and LEE, R. J. Spontaneous heart rate, propranolol, and ischaemia-induced ventricular fibrillation in the dog, 653
RIBEIRO, L. G. T., HILLIS, L. D., LOUIE, E. K., DAVIS, M.A., MAROKO, P. R., and BRAUNWALD, E. A method for demonstrating the efficacy of interventions designed to limit infarct size following coronary occlusion: beneficial effect of hyaluronidase, 334
RICCIARDELLI, B. *See* RENGO, F., *et al*
RICHESON, J. F. *See* AKIYAMA, T., *et al*
RIEMENSCHNEIDER, T. A., RUTTENBERG, H. D., and ADAMS, F. H. Maturational changes in left and right ventricular electromechanical intervals in the newborn lamb, 228
ROBERTS, C. PRYS-. *See* PRYS-ROBERTS, C.
ROSENDORFF, C. *See* MITCHELL, G., *et al*
ROSENTHAL, T., BIRCH, M., OSIKOWSKA, B., and SEVER, P. S. Changes in plasma noradrenaline concentration following sympathetic stimulation by gradual tilting, 144
ROSSNER, K. L., and SACHS, H. G. Electrophysiological study of Syrian hamster hereditary cardiomyopathy, 436
ROTHSCHILD, M. A. *See* EVANS, C., *et al*
ROTHSCHILD, M. A. *See* SCHREIBER, S. S., *et al*
RUBIN, B. T. *See* WINLOVE, C. P., *et al*
RUSSELL, D. C., and BALCON, R. Haemodynamic effects on the myocardial blood flow supply/oxygen demand ratio in pacing induced angina pectoris, 358
—— and OLIVER, M. F. Ventricular refractoriness during acute myocardial ischaemia and its relationship to ventricular fibrillation, 221
RUTTENBERG, H. D. *See* RIEMENSCHNEIDER, T. A., *et al*

S

SACHS, H. G. *See* ROSSNER, K. L., and SACHS, H. G.
SAKAGUCHI, M. *See* AZUMA, T., *et al*
SANNERSTEDT, R. *See* BRORSON, L., *et al*
SCALES, F. *See* HURLBUT, T. A., *et al*
SCHLEPPER, M., WEPPNER, H. G., and MERLE, H. Haemodynamic effects of supraventricular tachycardias and their alterations by electrically and verapamil induced termination, 28
SCHREIBER, S. S., ORATZ, M., ROTHSCHILD, M. A., and REFF, F. Effect of hydrostatic pressure in isolated cardiac nuclei: stimulation of RNA polymerase II activity, 265
SCHREIBER, S. S. *See* EVANS, C. *et al*
SCHREINER, B. F., FARNHAM, D. J., and LOGAN, D. C. Underestimation of true pulmonary blood volume by the pulmonary artery wedge injection technique in cardiac patients, 56
SEELY, E. *See* FISCHER, A. P., *et al*
SELWYN, A. P. *See* WELMAN, E., *et al*
SEVER, P. S. *See* ROSENTHAL, T., *et al*
SHEPHERD, J. T. *See* DONALD, D. E., and SHEPHERD, J. T.
SHUM, A. *See* SOLE, M. J., *et al*
SILOVE, E. D. *See* WELHAM, K. C., *et al*
SINGH, B. N. *See* HENG, M. K., *et al*
SKOOG, L. *See* TORNLING, G., *et al*
SLADE, A. *See* NAYLER, W. G., *et al*
SMITH, H. J., KENT, K. M., and EPSTEIN, S. E. Relationship between regional contractile function and S-T segment elevation after experimental coronary artery occlusion in the dog, 444
SMITH, P. *See* CLARK, D. R., and SMITH, P.
SMITH, R. E., BELLONI, F. L., and SPARKS, H. V. Coronary vascular resistance and myocardial oxygen consumption dynamics in response to catecholamine infusion, 391
SNIDERMAN, A. D. *See* MICKLEBOROUGH, L., *et al*
SOLE, M. J., SHUM, A., and VANLOON, G. R. Alterations in brain serotonin during congestive heart failure in the cardiomyopathic Syrian hamster, 373
SOYZA, N. D. B. DE, *See* DE SOYZA, N. D. B.
SPARKS, H. V. *See* SMITH, R. E., *et al*
SPEAR, K. L., KOERNER, J. E., and TERJUNG, R. L. Coronary blood flow in physically trained rats, 135
STUBBS, J. *See* DRAKE, A. J., *et al*
SYMES, J. *See* MICKLEBOROUGH, L., *et al*

T

TAKESHITA, A., TANAKA, S., and NAKAMURA, M. Effects of propranolol on baroreflex sensitivity in borderline hypertension, 148
TANAKA, S. *See* TAKESHITA, A., *et al*
TAYLOR, K. M., WRIGHT, G. S., BREMNER, W. F., BAIN, W. H., CAVES, P. K., and BEASTALL, G. H. Anterior pituitary response to thyrotrophin-releasing hormone during open-heart surgery, 114
TEIRSTEIN, P. *See* FISCHER, A. P., *et al*
TERJUNG, R. L. *See* SPEAR, K. L., *et al*
TIMOGIANNAKIS, D., PETROPOULOS, D., TOUTOUZAS, P., COUROUKLIS, C., and AVGOUSTAKIS, D. Effects of oxyfedrin: a β-adrenoreceptor stimulant, on infarct size following acute coronary artery ligation, 341
TORNLING, G., UNGE, G., SKOOG, L., LJUNGQVIST, A., CARLSSON, S., and ADOLFSSON, J. Proliferative activity of myocardial capillary wall cells in dipyridamole-treated rats, 692
TOUTOUZAS, P. *See* TIMOGIANNAKIS, G., *et al*
TOYAMA, S. *See* YONEDA, S., and TOYAMA, S.
TRIMARCO, B. *See* RENGO, F., *et al*

U

UNGE, G. *See* TORNLING, G., *et al*

V

VAN DER WERFF, T. J. *See* PODZUWEIT, T., *et al*
VAN EYLL, C. *See* POULEUR, H., *et al*
VANE, J. R. *See* DUSTING, G. J., *et al*
VANLOON, G. R. *See* SOLE, M. J., *et al*
VERRIER, R. L. *See* DESILVA, R. A., *et al*
VIAL, C., FONT, B., GOLDSCHMIDT, D., PEARLMAN, A. S., and DELAYE, J. Regional myocardial energetics during brief periods of coronary occlusion and reperfusion: comparison with S-T segment changes, 470
VIOLINI, R. *See* RENGO, F., *et al*
VOLPE, M. *See* RENGO, F., *et al*

W

WARLTIER, D. C. *See* JESMOK, G. J., *et al*
WASIR, H. *See* BRORSON, L., *et al*
WATSON, J. T. *See* JETT, G. K., *et al*
WEISS, L. Adaptive cardiovascular changes to physical training in spontaneously hypertensive and normotensive rats, 329
—— and LUNDGREN, Y. Chronic antihypertensive drug treatment in young spontaneously hypertensive rats: effects on arterial blood pressure, cardiovascular reactivity and vascular design, 744
—— —— Left ventricular hypertrophy and its reversibility in young spontaneously hypertensive rats, 635
WELHAM, K. C., SILOVE, E. D., and WYSE, R. K. H. Experimental right ventricular hypertrophy and failure in swine, 61
WELMAN, E., SELWYN, A. P., PETERS, T. J., COLBECK, J. F., and FOX, K. M. Plasma lysosomal enzyme activity in acute myocardial infarction, 99
WEPPNER, H. G. *See* SCHLEPPER, M., *et al*
WERFF, T. J., VAN DER *See* VAN DER WERFF, T. J.
WILKERSON, R. D., and PRUETT, J. K. Influence of alterations in sinus rate on determination of drug-induced changes in ventricular automaticity, 34
WILLERSON, J. T. *See* HURLBUT, T. A. *et al*, JETT, G. K., *et al*
WILSON, P. A. POOLE-, *See* POOLE-WILSON, P. A.
WINLOVE, C. P., DAVIS, J., RUBIN, B. T., and DELL, R. B. The use of radioiodinated human serum albumin in measurements of arterial permeability, 609
WOOLLARD, K. V. *See* LAB, M. J., and WOOLLARD, K. V.
WOZNIEWICZ, B. *See* CEREMUZYNSKI, L., *et al*
WRIGHT, G. S. *See* TAYLOR, K. M., *et al*
WYSE R. K. H. *See* WELHAM, K. C., *et al*

Y

YAMAGUCHI, I., OBAYASHI, K., and MANDEL, W. J. Electrophysiological effects of verapamil, 597
YEPEZ, C. *See* NAYLER, W. G., *et al*
YONEDA, S., and TOYAMA, S. Scanning electron microscopic studies on cultured heart cells after the induction of arrhythmias and fibrillation, 201

Z

ZANCHETTI, A. *See* BACCELLI, G., *et al*

SUBJECT INDEX
1978, Volume 12

A

Acebutolol-induced changes in refractoriness and monophasic action potential of right ventricle, 493
Action potentials, monophasic, electrocardiograms and mechanical performance, in normal and ischaemic epicardial segments of pig ventricle *in situ:* instruments and techniques, 555
— — — right ventricle, and acebutolol-induced changes in refractoriness, 493
— — myocardial, role of membrane permeabilities in genesis of the notch, monkey, 507
Adrenaline infusion, evidence for detrimental effect in doses imitating spontaneous secretion after coronary occlusion, 179
Albumin, radioiodinated, in measurements of arterial permeability, 609
Altitude, high, hypoxia, effect on protein synthesis in the heart, 303
— — simulated, capillary density and muscle fibre size, 578
Amino acid uptake in rabbit blood vessels two weeks after induction of hypertension by coarctation of abdominal aorta, 106
Anaemia, acute isovolumic, aortic input impedance and left ventricular energetics, 49
Angina pectoris, blood flow supply/oxygen demand ratio, 358
Antihypertensive treatment in young spontaneously hypertensive rats, effects on arterial blood pressure, cardiovascular reactivity and vascular design, 744
Aorta, comparison between theoretical and directly measured pulse propagation velocities, 407
— elasticity and characteristic impedance, evaluation, man, 401
— static elastic properties and chemical composition in spontaneous hypertension, comparison with induced hypertension, 364
— valve and left ventricular outflow, relation between pressure difference across, 276
Arrhythmias and fibrillation, SEM studies on cultured heart cells after induction, 201
— ventricular, associated with coronary artery occlusion, and reperfusion in isolated rat heart, 212
Authors, instructions, 3

B

Baroreflex sensitivity in borderline hypertension, effects of propranolol, 148
Beta-adrenoreceptor and Ca^{2+} antagonist drugs, effect on hypoxia-induced increase in resting tension, 666
Beta-adrenergic blocking agent, cardioselective and non-cardioselective, effects of oral equiblocking doses on left ventricular function, dog, 81
— *see also* Propranolol:Oxyfedrin
Blood flow, collateral, functional role in ischaemic dog heart, 309
— — coronary, in physically trained rats, 135
— — myocardial, influence of isosorbide dinitrate on, during acute coronary occlusion, 497
— — —, and metabolism, dependence on cardiac innervation, 69
— — — —, and creatine kinase, effect of hyaluronidase, 334
— — — —, effect of oxyfedrin on infarct size after acute coronary artery ligation, 341
— — regional diastolic coronary, during diastolic ventricular hypertension, 639
— — supply/oxygen demand ratio in angina pectoris, 358
— pressure rise during growth, haemodynamic determinants, conscious puppies, 422
Bradycardia, magnitude induced by face immersion in patients convalescing from myocardial infarction, 239

C

Ca^{2+} antagonist drugs and β-adrenoceptor drugs, effect on hypoxia-induced increase in resting tension, 666
Capillary density and muscle fibre size at simulated high altitude, 578
— wall cells, myocardial, proliferative activity in dipyridamole-treated rats, 692
Cardiac disease, underestimation of true pulmonary blood volume by the pulmonary artery wedge injection technique, 56
— failure, alteration in brain serotonin in cardiomyopathic Syrian hamster, 373
— innervation, dependence on myocardial blood flow and metabolism, 69
— nuclei, isolated, effect of hydrostatic pressure on, stimulation of RNA polymerase II activity, 265
Cardiac output by indicator dilution in cardiothoracic surgical patients, 190
— sympathetic nerves, functional development, newborn dogs, evidence for asymmetrical development, 547
— tissue, freeze-clamping within a fraction of contraction cycle, automatic device: instruments and techniques, 322
Cardiomyopathy, hereditary, electrophysiology, 436
Cardiopulmonary bypass, increased blood level of prostaglandin-like substances during, dog, 516
Cardiothoracic surgical patients, analysis of errors in measurement of cardiac output by indicator dilution, 190
Cardiovascular changes, adaptive, to physical training in spontaneously hypertensive and normotensive rats, 329
— variables, in device for measuring instruments and techniques, 316
Cardiovascular Research, instructions to authors, 3
— — as monthly publication, 1
Catecholamines, coronary sinus, determinants, in ischaemic heart disease, 415
— induced myocardial injury, relation of platelets to, 243
— infusion, coronary vascular resistance and myocardial oxygen consumption dynamics in response to, 391
Catheterisation, percutaneous left ventricular, with ultraminiature catheter-tip pressure transducer: instruments and techniques, 566
Collagen in myocardial hypertrophy, 173
Collateral flow, functional role in ischaemic dog heart, 309
Conductivity and refractoriness of dog heart *in situ*, labetalol-induced changes, 646
Contractile function and S-T segment elevation, relationship between after coronary artery occlusion, dog, 444
Coronary artery ligation, effect on mechanical performance and enzyme release in isolated rat hearts, 585
— — occlusion, relationship between regional contractile function and S-T segment elevation after, dog, 444

— capillary permeability and tissue volumes for sucrose and water, comparison of bolus and constant infusion multiple-indicator methods, 537
— flow during ventricular hypertension, 639
— occlusion, evidence for detrimental effect of adrenaline infusion after, 179
— sinus adrenaline determinants in ischaemic heart disease, 415
— vasodilatation, induced by prostacyclin (PGI_2) in anaesthetised dogs, 720
Creatine kinase and regional myocardial blood flow, effect of hyaluronidase, 334
Crystals, ultrasonic, chronically-implanted in intact heart, cat: instruments and techniques, 387

D

Diastolic intramyocardial pressure, left ventricular, transmural distribution, dogs, 255
Digitalis, effect on human ventricular refractoriness, 288
Dipyridamole-treated rats, proliferative activity of myocardial capillary wall cells, 692
Drug-induced changes in ventricular automaticity, influence of alterations in sinus rate on determination, 34

E

Editorial: *Cardiovascular Research* as monthly journal, 1
Electrical conductivity, effects of varying the medium between heart and body surface on ECG pig, 697
Electrically initiated supraventricular tachycardias, haemodynamic effects, 28
Electrocardiogram, epicardial and praecordial, effects of varying electrical conductivity of medium between heart and body surface, 697
— T wave, interpretation: special review article, 13
Electrophysiological changes induced by labetalol in dog heart, *in situ*, 646
— effects of verapamil, 597
Electrophysiology of hereditary cardiomyopathy, 436
— of human Purkinje system, 681
Enzyme release, effect of substrates and coronary artery ligation, isolated rat hearts, 585
Epicardial electrical and mechanical recordings during ischaemia, pig ventricle *in situ:* instruments and techniques, 555
— Q waves as an acute marker of myocardial necrosis, dogs, 376
Exercise, static and dynamic, haemodynamic effects in hypertension, 269
— *see also* Physical Training

F

Face immersion, magnitude of bradycardia induced by in patients convalescing from myocardial infarction, 239
Failure, ventricular, and experimental right ventricular hypertrophy in swine, 61
Fibrillation and arrhythmias, SEM studies on cultured heart cells after induction, 201
— ventricular, *see* Ventricular fibrillation
Fibrosis and lactate dehydrogenase isoenzymes in the hypertrophic heart, 348
Flowmeter, non-invasive electromagnetic, to measure pulsatile flow, experimental and clinical studies, 66
Freeze-clamping of cardiac tissue, within a fraction of contraction cycle, automatic device: instruments and techniques, 322

G

Glucose-insulin-potassium, effects on experimental myocardial infarction, dog, 429

H

Heart block, complete, effect of ventricular extrasystoles on idioventricular rhythm in, 703
— block, complete, ventricular overdrive suppression of idioventricular rhythm in, 712
— capillary reactions, in dipyridamole treatment, 692
— cells, cultured, responses to procainamide and lignocaine, 529
— — — SEM studies after induction of arrhythmias and fibrillation, 201
— and lungs, reflexes from: physiological curiosities or important mechanisms: review article, 449
— muscle, current thresholds and liminal size in excitation, 477
— — hypoxic, effect of methylprednisolone sodium succinate on, 91
— — — pharmacological protection of mitochondrial function, effect of verapamil, propranolol, and methylprednisolone, 152
— rate, spontaneous, propranolol, and ischaemia-induced ventricular fibrillation, dog, 653
— water and mechanics with hypoxia and metabolic blockade, 659
Hemoximeter, OSM2, evaluation: instruments and techniques, 630
Histamine and hypoxic pulmonary hypertension, quantitative study, 752
Hyaluronidase in limiting infarct size after coronary occlusion, 334
Hydration, myocardial, and myocardial performance, changes with hypoxia and metabolic blockade, 569
Hypertension, arterial, haemodynamic effects of static and dynamic exercise, 269
— borderline, effects of propranolol on baroreflex sensitivity, 148
— hypoxic pulmonary, and histamine, quantitative study, 752
— spontaneous, adaptive cardiovascular changes to physical training in, 329
— — aortic distensibility in, comparison with induced hypertension, 364
— — chronic antihypertensive drug treatment, rats, 744
— ventricular, effect on regional diastolic coronary blood flow, 639
Hypertensive artery protein synthesis, 106
Hypertrophic heart, relationship between fibrosis and lactate dehydrogenase, 348
Hypertrophy, ventricular, right, experimental, and failure in swine, 61
Hypoxia-induced increase in resting tension, effect of beta-adrenoceptor and Ca^{2+} antagonist drugs, 666
Hypoxic heart muscle, effect of methylpredisolone sodium succinate on, 91
— — — pharmacological protection of mitochondrial function, effect of verapamil, propranolol, and methylprednisolone, 152
— pulmonary hypertension, and histamine, quantitative study, 752

I

Idioventricular rhythm in complete heart block, ventricular overdrive suppression, 712
— — effect of ventricular extrasystoles on in complete heart block, 703

Impedance, aortic input, and left ventricular energetics in acute isovolumic anaemia, 49
Infarct size, effect of oxyfedrin, an β-adrenoreceptor stimulant, after acute coronary artery ligation, 341
— — limiting, after coronary occlusion, effect of hyaluronidase, 334
Innervation, cardiac, dependence on myocardial blood flow and metabolism, 69
Inotropism versus vasodilation in experimental myocardial infarction, 294
Instructions to authors, 3; reprint announcement, 200,328
INSTRUMENTS AND TECHNIQUES: An analogue device for the measurement of cardiovascular variables, 316
An automatic device for freeze-clamping of cardiac tissue within a fraction of the contraction cycle, 322
Evaluation of the OSM2 hemoximeter, 630
Monophasic action potentials, electrocardiograms and mechanical performance in normal and ischaemic epicardial segments of the pig ventricle, *in situ*, 555
Percutaneous left ventricular catheterisation with an ultraminiature catheter-tip pressure transducer, 566
Use of chronically-implanted ultrasonic cystals in the intact heart of the cat, 387
Intracerebral (non-sympathetic) adrenergic pathway, vasodilator mechanism, 42
Ischaemia, epicardial electrical and mechanical recordings during, pig ventricle *in situ:* instruments and techniques, 555
— induced ventricular fibrillation, propranolol, and spontaneous heart rate in the dog, 653
— myocardial, ventricular refractoriness during, and its relationship to ventricular fibrillation, 221
Ischaemic heart disease, coronary sinus catecholamine determinants, 415
— — functional role of collateral flow, 309
Isosorbide dinitrate, influence on regional myocardial blood flow during acute coronary occlusion, dog, 497

L

Labetalol-induced changes in conductivity and refractoriness of dog heart, *in situ* 646
Labile metabolites in frozen myocardium, 162
Lactate dehydrogenase isoenzymes and fibrosis in hypertrophic heart, 348
Lignocaine and procainamide, effects on cultured heart cells, 529
Lung and heart, reflexes from: physiological curiosities or important mechanisms: review article 449
Lysosomal enzyme activity, plasma, in acute myocardial infarction, 99

M

Methylprednisolone as pharmacological protection of mitochondrial function in hypoxic heart muscle, 152
— sodium succinate, effect on hypoxic heart muscle, 91
Minoxidil, effect on coronary collateral flow and acute myocardial injury following experimental coronary artery occlusion, 120
Mitochondrial function, pharmacological protection, hypoxic heart muscle, effects of verapamil, propranolol, and methylprednisolone, 152
Mitral leaflet, anterior anatomical arrangement of muscle tissue in, man, 675
Monthly publication of *Cardiovascular Research*, 1
Morphine sulphate, protective effect of vagotonic action on ventricular vulnerability, 167
Multiple-indicator methods in coronary capillary permeability and tissue volumes for sucrose and water, dogs, 537
Muscle fibre size and capillary density at simulated high altitude, 578
Myocardial collagen, effects of right ventricular hypertrophy and its involution induced by changes in atmospheric pressure, 173
— depressant effects of sodium acetate, 127
— energetics and S-T segment changes, 470
— infarction, effect of minoxidil, 120
— — experimental, effects of glucose-insulin-potassium on, dog, 429
— — face immersion bradycardia after, 239
— — plasma lysosomal enzyme activity, in 99
— — vasodilatation versus inotropism in, 294
— injury, catecholamine induced, relation of platelets, 243
— ischaemia, effect on transmural triglycerides, 659
— — ventricular refractoriness during, and its relationship to ventricular fibrillation, 221
— necrosis, significance of Q waves as an acute marker, dogs, 376
— water content and mechanics with hypoxia and metabolic blockade, 569
Myocardium, frozen, effects of labile metabolites, 162
Myosin synthesis in afterloaded guinea pig right ventricle, 731

N

Nerves, cardiac sympathetic, functional development, newborn dogs, evidence for asymmetrical development, 547
Non-invasive electromagnetic measurement of peripheral pulsatile blood flow, experimental and clinical studies, 66
Noradrenaline, plasma concentration, changes following sympathetic stimulation by gradual tilting, 144
— vibration-induced hyperresponsiveness to, 758
Notch, separating myocardial action potentials, role of membrane permeabilities, monkey, 507

O

OSM2 hemoximeter, evaluation: instruments and techniques, 630
Oxyfedrin, a β-adrenoreceptor stimulant, effect on infarct size after acute coronary artery ligation, 341

P

Permeability, arterial, radioiodinated human serum albumin in measurement, 609
— coronary capillary, and tissue volumes for sucrose and water, comparison of bolus and multiple-indicator methods, 537
Physical training, adaptive cardiovascular changes to in spontaneously hypertensive and normotensive rats, 329
— — effect on coronary blood flow, rats, 135
— — *see also* Exercise
Pituitary response to TRH during open-heart surgery, 114
Platelets, relation to catecholamine induced myocardial injury, 243
Practolol, effect on left ventricular function, dog, 81
Pressure difference across the aortic valve and left ventricular outflow,relation between, 276
— hydrostatic, on isolated cardiac nuclei, stimulation of RNA polymerase II activity, 265
Procainamide, deleterious vagolytic effect, 486
— and lignocaine, effects on cultured heart cells, 529
Propranolol, effects on baroreflex sensitivity in borderline hypertension, 148

— effect on left ventricular function, dog, 81
— as pharmacological protection of mitochondrial function in hypoxic heart muscle, 152
— spontaneous heart rate, and ischaemia-induced ventricular fibrillation, dog, 653
Prostacyclin (PGI_2) induces coronary vasodilatation in anaesthetised dogs, 720
Prostaglandin-like substances during cardiopulmonary bypass, increased blood level, dog, 516
Protein synthesis of right and left ventricular myocardium, effect of intermittent high altitude hypoxia, 303
Pulmonary artery wedge injection technique in measurement of true pulmonary blood volume in cardiac disease, 56
— input impedance in right ventricular performance, 617
Pulse propagation velocity, measurements, aorta, dog, 407
Purkinje system, assessment of refractoriness, man, 681

Q

Q waves, epicardial, as an acute marker of myocardial necrosis, dogs, 376

R

Raynaud's phenomenon in vibration disease, and vibration-induced hyperresponsiveness of arterial smooth muscle to noradrenaline, 758
Reflexes from heart and lungs: physiological curiosities or important mechanisms: review article, 449
— sino-aortic, control of regional circulations by during desynchronised sleep, cat, 523
Refractoriness, assessment, of human Purkinje system, 681
— and conductivity of dog heart *in situ*, labetalol-induced changes, 646
Review Articles: Reflexes from the heart and lungs: physiological curiosities or important regulatory mechanisms, 449
The interpretation of the T wave of the electrocardiogram, 13
RNA polymerase II activity measured in isolated cardiac nuclei subjected to hydrostatic pressure, 265

S

S-T segment changes and myocardial energetics, 470
— — elevation and contractile function, relationship between after coronary artery occlusion, dog, 444
Serotonin, brain, alterations during heart failure in cardiomyopathic Syrian hamster, 373
Sino-aortic reflexes, control of regional circulations by during desynchronised sleep, cat, 523
Sinus rate, influence of alterations on determination of drug-induced changes, 34
Sleep, desynchronised, control of regional circulations by the sino-aortic reflexes during, cat, 523
Sodium acetate, myocardial depressant effects, 127
Substrates and enzyme release, effect on isolated rat hearts with coronary artery ligation, 585
Supraventricular tachycardias, haemodynamic effects, alterations by electrically and verapamil induced termination, 28

T

T wave of electrocardiogram, interpretation: special review article, 13
Tachycardias, supraventricular, haemodynamic effects, alterations by electrically and verapamil induced termination, 28
Thyrotrophin-releasing hormone during open-heart surgery, anterior pituitary response to, 114
Tilting, gradual, changes in plasma noradrenaline concentration following sympathetic stimulation by, 144
Tissue volumes and coronary capillary permeability for sucrose and water, comparison of bolus and multiple-indicator methods, 537
Transducer, ultraminiature catheter-tip pressure transducer in percutaneous left ventricular catheterisation: instruments and techniques, 566
Triglycerides, transmural, in acute myocardial ischaemia, 659

U

Ultrasonic crystals chronically-implanted in intact heart, cat: instruments and techniques, 387

V

Valve, aortic, and left ventricular outflow, relation between pressure difference across, 276
Vasodilatation versus inotropism in experimental myocardial infarction, 294
Vasodilator mechanism of the intracerebral (non-sympathetic) adrenergic pathway, 42
Ventricle, ventricular, automaticity, influence of alterations in sinus rate on determination of drug-induced changes, 34
— energetics and aortic input impedance in acute isovolumic anaemia, 49
— extrasystoles, effect on idioventricular rhythm in complete heart block, 703
— fibrillation associated with coronary artery occlusion, and reperfusion in isolated rat heart, 212
— — ischaemia-induced, spontaneous heart rate, and propranolol, dog, 653
— — relationship to ventricular refractoriness during acute myocardial ischaemia, 221
— effect of high altitude hypoxia on protein synthesis of, 303
— left, function, effects of propranolol, and practolol, oral equiblocking doses, 81
— — hypertrophy, and its reversibility in spontaneously hypertensive rats, 635
— — outflow, and aortic valve, relation between pressure difference across, 276
— — and right, electromechanical intervals, maturational changes, newborn lamb, 228
— overdrive suppression of idioventricular rhythm in complete heart block, 712
— refractoriness during acute myocardial ischaemia and its relationship to ventricular fibrillation, 221
— — effect of digitalis, 288
— right, afterloaded, synthesis of myosin heavy and light chains in, 731
— — hypertrophy, experimental, and failure, in swine 61
— right and left, electromechanical intervals, maturational changes, newborn lamb, 228
— performance, significance of pulmonary input impedance in, 617
— vulnerability, protective effect of the vagotonic action of morphine sulphate on, 167
Verapamil, electrophysiological effects, 597
— and metabolites, comparative cardiovascular actions in anaesthetised dog, 247
— as pharmacological protection of mitochondrial function in hypoxic heart muscle, 152
— in termination of supraventricular tachycardias, 28
Vibration-induced hyperresponsiveness to noradrenaline, special reference to Raynaud's phenomenon in vibration disease, 764

CARDIOVASCULAR RESEARCH

EDITOR
R. J. LINDEN

ASSISTANT EDITORS
C. T. KAPPAGODA, M. I. M. NOBLE (to July, 1978)
D. A. S. G. MARY (from August, 1978)

A. M. BARRETT
D. H. BERGEL
M. V. BRAIMBRIDGE
D. L. BRUTSAERT
B. FOLKOW
A. D. M. GREENFIELD
D. M. KRIKLER
T. D. V. LAWRIE
P. W. MACFARLANE
A. MASERI
C. MILLS
W. G. NAYLER
P. SLEIGHT
M. THOMAS
E. M. VAUGHAN WILLIAMS
M. I. M. NOBLE (from August)

EDITOR *British Heart Journal*
EDITOR *British Medical Journal*
TECHNICAL EDITOR ANN NORRIS

VOLUME 12, 1978

LONDON · BRITISH MEDICAL ASSOCIATION · TAVISTOCK SQUARE W.C.1.

CONTENTS

No. 1. JANUARY, 1978

INSTRUCTIONS TO AUTHORS 3

SPECIAL REVIEW ARTICLE: The interpretation of the T wave of the electrocardiogram: Denis Noble and Ira Cohen 13

Haemodynamic effects of supraventricular tachycardias and their alterations by electrically and verapamil induced termination: Martin Schlepper, Horst G. Weppner, and Hartmut Merle 28

Influence of alterations in sinus rate on determination of drug-induced changes in ventricular automaticity: R. Douglas Wilkerson and Jack K. Pruett 34

Vasodilator mechanism of the intracerebral (non-sympathetic) adrenergic pathway: G. Mitchell, D. Mitchell, and C. Rosendorf 42

Aortic input impedance and left ventricular energetics in acute isovolumic anaemia: T. N. S. Clarke, C. Prys-Roberts, G. Biro, P. Foëx, and M. J. Bennett 49

Underestimation of true pulmonary blood volume by the pulmonary artery wedge injection technique in cardiac patients: Bernard F. Schreiner, D. John Farnham, and Donald C. Logan 56

Experimental right ventricular hypertrophy and failure in swine: K. C. Welham, E. D. Silove, and R. K. H. Wyse 61

Non-invasive electromagnetic measurement of the peripheral pulsatile blood flow: experimental study and clinical application: Henry J. L. Boccalon, Bernard J. L. Candelon, Henry G. Doll, Pierre F. Puel, and André P. Enjalbert 66

No. 2. FEBRUARY, 1978

Dependence of myocardial blood flow and metabolism on cardiac innervation: Angela J. Drake, J. Stubbs, and M. I. M. Noble 69

Effects of oral equiblocking doses of a cardioselective and noncardioselective β-adrenergic blocking agent on left ventricular function in the normal conscious dog: Martin M. LeWinter, Joel S. Karliner, and Robert A. O'Rourke 81

Protective effect of methylprednisolone sodium succinate on the ultrastructure and resting tension of hypoxic heart muscle: Winifred G. Nayler, Carmen Yepez, Aleyda Grau, and A. Slade 91

Plasma lysosomal enzyme activity in acute myocardial infarction: Elizabeth Welman, A. P. Selwyn, T. J. Peters, J. F. Colbeck, and K. M. Fox 99

Amino acid uptake in rabbit blood vessels two weeks after induction of hypertension by coarctation of the abdominal aorta: W. R. Hume and J. A. Bevan . . . 106

Anterior pituitary response to thyrotrophin-releasing hormone during open-heart surgery: Kenneth M. Taylor, Gillian S. Wright, William F. Bremner, William H. Bain, Philip K. Caves, and Graham H. Beastall 114

Effects of minoxidil on coronary collateral flow and acute myocardial injury following experimental coronary artery occlusion: Paulo Radvany, Michael A. Davis, James E. Muller, and Peter R. Maroko 120

Myocardial depressant effects of sodium acetate: Paul L. Kirkendol, James E. Pearson, John D. Bower, and Robert D. Holbert 127

No. 3. MARCH, 1978

Coronary blood flow in physically trained rats: Kim L. Spear, John E. Koerner, and Ronald L. Terjung 135

Changes in plasma noradrenaline concentration following sympathetic stimulation by gradual tilting: T. Rosenthal, M. Birch, B. Osikowska, and P. S. Sever . . . 144

Effects of propranolol on baroreflex sensitivity in borderline hypertension: Akira Takeshita, Senichi Tanaka, and Motoomi Nakamura 148

Pharmacological protection of mitochondrial function in hypoxic heart muscle: effect of verapamil, propranolol, and methylprednisolone: Winifred G. Nayler, Elisabeth Fassold, and Carmen Yepez 152

Effects on labile metabolites of temporal delay in freezing biopsy samples of dog myocardium in liquid nitrogen: Trenton B. Allison, Craig A. Ramey, and James W. Holsinger, Jr. 162

Protective effect of the vagotonic action of morphine sulphate on ventricular vulnerability: Regis A. DeSilva, Richard L. Verrier, and Bernard Lown 167

Myocardial collagen, the effects of right ventricular hypertrophy and its involution induced by changes in atmospheric pressure: P. G. Caspari, M. Newcomb, K. Gibson, and P. Harris 173

Evidence for the detrimental effect of adrenaline infused to healthy dogs in doses imitating spontaneous secretion after coronary occlusion: L. Ceremuzynski, K. Herbaczynska-Cedro, B. Broniszewska-Ardelt, J. Nauman, A. Nauman, B. Wozniewicz, and J. Lawecki 179

Analysis of errors in measurement of cardiac output by simultaneous dye and thermal dilution in cardiothoracic surgical patients: Adam P. Fischer, Anthony M. Benis, Roy A. Jurado, Ellen Seely, Paul Teirstein, and Robert S. Litwak 190

No. 4. APRIL, 1978

Scanning electron microscopic studies on cultured heart cells after the induction of arrhythmias and fibrillation: Shunki Yoneda, and Seiichi Toyama 201

Ventricular arrhythmias associated with coronary artery occlusion and reperfusion in the isolated perfused rat heart: a model for assessment of antifibrillatory action of antiarrhythmic agents: W. F. Lubbe, P. S. Daries, and L. H. Opie 212

Ventricular refractoriness during acute myocardial ischaemia and its relationship to ventricular fibrillation: D. C. Russell and M. F. Oliver 221

Maturational changes in left and right ventricular electromechanical intervals in the newborn lamb: T. A. Riemenschneider, H. D. Ruttenberg, and F. H. Adams . . 228

The magnitude of the bradycardia induced by face immersion in patients convalescing from myocardial infarction: B. A. Gooden, G. Holdstock, and J. R. Hampton . 239

Relation of platelets to catecholamine induced myocardial injury: Christos B. Moschos, Bunyad Haider, Yusuf Khan, Michael M. Lyons, and Timothy J. Regan . . 243

Comparative cardiovascular actions of verapamil and its major metabolites in the anaesthetised dog: G. Neugebauer 247

Transmural distribution of intrinsic and transmitted left ventricular diastolic intramyocardial pressure in dogs: Joseph P. Archie, Jr. 255

No. 5. MAY, 1978

Effect of hydrostatic pressure on isolated cardiac nuclei: stimulation of RNA polymerase II activity: Sidney S. Schreiber, Murray Oratz, Marcus A. Rothschild, and Francine Reff 265

Haemodynamic effects of static and dynamic exercise in males with arterial hypertension of varying severity: Leif Brorson, Harbans Wasir, and Rune Sannerstedt . 269

Relation between pressure difference across the aortic valve and left ventricular outflow: C. Clark 276

Effect of digitalis on human ventricular refractoriness: Joe K. Bissett, N. D. B. de Soyza, James J. Kane, James R. McConnell, and James Doherty . . . 288

Comparative haemodynamic and metabolic effects of vasodilator and inotropic agents in experimental myocardial infarction: Joseph A. Franciosa, Aldo V. Notargiacomo, and Jay N. Cohn 294

Effect of intermittent high altitude hypoxia on the synthesis of collagenous and non-collagenous proteins of the right and left ventricular myocardium: B. Oštádal, E. Mířejovska, J. Hurych, V. Pelouch, and J. Procházka 303

Functional role of collateral flow in the ischaemic dog heart: Joseph R. Koke and Neville Bittar 309

Instruments and Techniques

An analogue device for the measurement of cardiovascular variables: H. Puls and G. Elzinga 316

An automatic device for freeze-clamping of cardiac tissue within a fraction of the contraction cycle: T. Podzuweit, T. J. van der Werff, O. Bricknell, and A. Kay . 322

No. 6. JUNE, 1978

Adaptive cardiovascular changes to physical training in spontaneously hypertensive and normotensive rats: Lilian Weiss 329

A method for demonstrating the efficacy of interventions designed to limit infarct size following coronary occlusion: beneficial effect of hyaluronidase: Lair G. T. Ribeiro, L. David Hillis, Eric K. Louie, Michael A. Davis, Peter R. Maroko, and Eugene Braunwald 334

Effects of oxyfedrin: a β-adrenoreceptor stimulant, on infarct size following acute coronary artery ligation: G. Timogiannakis, D. Petropoulos, P. Toutouzas, C. Courouklis, and D. Avgoustakis 341

The relationship between fibrosis and lactate dehydrogenase isoenzymes in the experimental hypertrophic heart of rabbits: N. W. Revis and A. J. V. Cameron . . 348

Haemodynamic effects on the myocardial blood flow supply/oxygen demand ratio in pacing induced angina pectoris: Douglas C. Russell and Raphael Balcon . . 358

Static mechanical properties and chemical composition of the aorta of spontaneously hypertensive rats: a comparison with the effect of induced hypertension: S. E. Greenwald and C. L. Berry 364

Alterations in brain serotonin during congestive heart failure in the cardiomyopathic Syrian hamster: Michael J. Sole, Andrew Shum, and Glen R. Vanloon . . 373

Significance of epicardial Q waves as an acute marker of myocardial necrosis in dogs: L. Mickleborough, I. Huttner, J. Symes, N. Poirier, and A. D. Sniderman . 376

Instruments and Techniques

Use of chronically-implanted ultrasonic crystals in the intact heart of the cat: Terry A. Hurlbut, III, Floyd Scales, L. Maximilian Buja, and James T. Willerson . . 387

No. 7. JULY, 1978

Coronary vascular resistance and myocardial oxygen consumption dynamics in response to catecholamine infusion: Robert E. Smith, Francis L. Belloni, and Harvey V. Sparks 391

Evaluation of the elasticity and characteristic impedance of the ascending aorta in man: J. P. Merillon, G. Motte, J. Fruchaud, C. Masquet, and R. Gourgon . . 401

Comparison between theoretical and directly measured pulse propagation velocities in the aorta of the anaesthetised dog: S. E. Greenwald, D. L. Newman, and N. L. R. Bowden 407

Determinants of coronary sinus noradrenaline in patients with ischaemic heart disease: coronary sinus catecholamine concentration in relation to arterial catecholamine concentration, pulmonary artery oxygen saturation and left ventricular end-diastolic pressure: J. Fischer Hansen, N. Juel Christensen, and B. Hesse . . . 415

Haemodynamic determinants of the arterial blood pressure rise during growth in conscious puppies: Fabio Magrini 422

The effects of glucose-insulin-potassium on experimental myocardial infarction in the dog: M. K. Heng, R. M. Norris, Thomas Peter, Heather D. Nisbet, and B. N. Singh 429

Electrophysiological study of Syrian hamster hereditary cardiomyopathy: Kenneth L. Rossner and Howard G. Sachs 436

Relationship between regional contractile function and S-T segment elevation after experimental coronary artery occlusion in the dog: Howard J. Smith, Kenneth M. Kent, and Stephen E. Epstein 444

No. 8. AUGUST, 1978

REVIEW ARTICLE: Reflexes from the heart and lungs: physiological curiosities or important regulatory mechanisms: David E. Donald, and John T. Shepherd . . 449

Regional myocardial energetics during brief periods of coronary occlusion and reperfusion: comparison with S-T segment changes: C. Vial, B. Font, D. Goldschmidt, A. S. Pearlman, and J. deLaye 470

Current thresholds and liminal size in excitation of heart muscle: Fred W. Lindemans and Jan J. Denier van der Gon 477

Exacerbation of coronary occlusion induced ventricular arrhythmias by the vagolytic effect of procainamide: Peter B. Corr, Cinda J. Helke, and Richard A. Gillis . 486

Acebutolol-induced changes in refractoriness and monophastic action potential of the right ventricle of the dog heart *in situ*: Jan P. Amlie, Helge Refsum, and Knud Landmark 493

The influence of isosorbide dinitrate on regional myocardial blood flow during acute coronary occlusion in the dog: G. Kimble Jett, Satish K. Dengle, Melvin R. Platt, Robert C. Eberhart, James T. Willerson, and John T. Watson 497

No. 9. SEPTEMBER, 1978

Role of membrane permeabilities (calcium, chloride, and potassium) in the genesis of the notch observed on simian and prosimian cardiac action potentials: P. Kreher . . 507

Increased blood level of prostaglandin-like substances during cardiopulmonary bypass in the dog: Andrzej Cedro, and Krystyna Herbaczyńska-Cedro 516

Control of regional circulations by the sino-aortic reflexes during desynchronised sleep in the cat: G. Baccelli, R. Albertini, G. Mancia, and A. Zanchetti . . . 523

Responses of cultured heart cells to procainamide and lignocaine: David McCall . . 529

Coronary capillary permeability and tissue volumes for sucrose and water in dogs: a comparison of bolus and constant infusion multiple-indicator methods: Thomas R. Harris, Deland D. Burks, and Phillip L. Custer 537

Functional development of cardiac sympathetic nerves in newborn dogs: evidence for asymmetrical development: Fany A. Kralios and C. Kay Millar 547

Instruments and Techniques

Monophasic action potentials, electrocardiograms, and mechanical performance in normal and ischaemic epicardial segments of the pig ventricle *in situ*: Max J. Lab and K. V. Woollard 555

Percutaneous left ventricular catheterisation with an ultraminiature catheter-tip pressure transducer: Wilmer W. Nichols, Carl J. Pepine, H. D. Millar, L. G. Christie, Jr., and C. Richard Conti 566

No. 10. OCTOBER, 1978

Changes in *in vitro* myocardial hydration and performance in response to transient metabolic blockade in hypertonic, isotonic, and hypotonic media: Michael B. Pine, Oscar H. L. Bing, Wesley W. Brooks, and Walter H. Abelmann . . . 569

Capillary density and muscle fibre size in the hearts of rats subjected to simulated high altitude: Donald R. Clark and Paul Smith 578

Effect of substrates and of coronary artery ligation on mechanical performance and on release of lactate dehydrogenase and creatine phosphokinase in isolated working rat hearts: J. de Leiris and L. H. Opie 585

Electrophysiological effects of verapamil: Iwao Yamaguchi, Kanji Obayashi, and William J. Mandel 597

The use of radioiodinated human serum albumin in measurements of arterial permeability: C. P. Winlove, Jane Davis, B. T. Rubin, and R. B. Dell 609

Significance of pulmonary input impedance in right ventricular performance: H. Pouleur, J. LeFevre, Ch. van Eyll, P. M. Jaumin, and A. A. Charlier . . 617

Instruments and Techniques

Evaluation of the OSM2 Hemoximeter: R. J. McKinney and E. A. Harris . . 630

No. 11. NOVEMBER, 1978

Left ventricular hypertrophy and its reversibility in young spontaneously hypertensive rats: Lilian Weiss and Yen Lundgren 635

Regional diastolic coronary blood flow during diastolic ventricular hypertension: Raul J. Domenech 639

A study of the labetalol-induced changes in conductivity and refractoriness of the dog heart *in situ*: Jan P. Amlie 646

Spontaneous heart rate, propranolol, and ischaemia-induced ventricular fibrillation in the dog: Robert D. Reynolds, Samuel V. Calzadilla, and Robert J. Lee . . . 653

Transmural triglycerides in acute myocardial ischaemia: Gary J. Jesmok, David C. Warltier, Garrett J. Gross and Harold F. Hardman 659

The effect of β-adrenoceptor and Ca^{2+} antagonist drugs on the hypoxia-induced increase in resting tension: Winifred G. Nayler, Carmen E. Yepez, and P. A. Poole-Wilson 666

Anatomical arrangement of muscle tissue in the anterior mitral leaflet in man: Robert J. Boucek, Betuska Bouckova, and Samuel Levy 675

Assessment of refractoriness of the human Purkinje system: Dietrich W. Fleischmann and Tiberius Pop 681

Proliferative activity of myocardial capillary wall cells in dipyridamole-treated rats: Goran Tornling, Gunnar Unge, Lambert Skoog, Arne Ljungqvist, Sture Carlsson, and Jan Adolfsson 692

Corrections and Activities 696

No. 12. DECEMBER, 1978

Effects of varying the electrical conductivity of the medium between the heart and the body surface on the epicardial and praecordial electrocardiogram in the pig: Toshio Akiyama, J. F. Richeson, James T. Ingram, and John Oravec 697

Effect of ventricular extrasystoles on idioventricular rhythm in patients with complete heart block: B. M. Kennelly and G. K. Lane 703

Ventricular overdrive suppression of idioventricular rhythm in patients with complete heart block: Geoffrey K. Lane and Brian M. Kennelly 712

Prostacyclin (PGI_2) induces coronary vasodilatation in anaesthetised dogs: G. J. Dusting, D. J. Chapple, R. Hughes, S. Moncada, and J. R. Vane 720

Synthesis of myosin heavy and light chains in the afterloaded guinea pig right ventricle: Carole Evans, Sidney S. Schreiber, Murray Oratz, and Marcus A. Rothschild . 731

Chronic antihypertensive drug treatment in young spontaneously hypertensive rats: effects on arterial blood pressure, cardiovascular reactivity, and vascular design: Lilian Weiss, and Yen Lundgren 744

Histamine and hypoxic pulmonary hypertension a quantitative study: Franco Rengo, Bruno Trimarco, Massimo Chiariello, Bruno Ricciardelli, Massimo Volpe, Roberto Violini, and Gerardo Rasetti 752

Vibration-induced hyperresponsiveness of arterial smooth muscle to noradrenaline with special reference to Raynaud's phenomenon in vibration disease: Takehiko Azuma, Toshio Ohhashi, and Masao Sakaguchi 758

Volume Index 765